



## *International Journal of Environment and Climate Change*

**Volume 14, Issue 2, Page 14-22, 2024; Article no.IJECC.111605**

**ISSN: 2581-8627**

*(Past name: British Journal of Environment & Climate Change, Past ISSN: 2231-4784)*

# Revolutionizing Guava Food Processing: A Fresh Perspective

**Balaji Vikram<sup>a++</sup>, Dharmendra Kumar Gautam<sup>b#\*</sup>,  
Manjunath Sharanappa Tondihal<sup>ct†</sup>, Shweta Chaturvedi<sup>dt‡</sup>,  
Sameer Verma<sup>a#</sup>, Harish Chandra Yadav<sup>e#</sup>, Abhishek Sonkar<sup>ff</sup>  
and Tekchand Nayak<sup>g^</sup>**

<sup>a</sup> College of Horticulture, Banda University of Agriculture and Technology Banda-210001 (U.P.), India.

<sup>b</sup> Department of Fruit Science, College of Horticulture & Forestry, Acharya Narendra Deva University of Agriculture & Technology, Kumarganj, Ayodhya, 224 229 (U.P.), India.

<sup>c</sup> Junagadh Agricultural University, Junagadh, Gujarat, India.

<sup>d</sup> Acharya Narendra Deva University of Agriculture & Technology, Kumarganj, Ayodhya, 224 229 (U.P.), India.

<sup>e</sup> Department of Fruit Science, College of Horticulture, Banda University of Agriculture and Technology, Banda-210001 (U.P.), India.

<sup>f</sup> Department of Fruit Science, Acharya Narendra Deva University of Agriculture & Technology, Kumarganj, Ayodhya, 224 229 (U.P.), India.

<sup>g</sup> Department of Entomology, Sardar Vallabhbhai Patel University of Agriculture and Technology, Meerut, (UP), India.

### **Author's contribution**

*The sole author designed, analysed, interpreted and prepared the manuscript.*

### **Article Information**

DOI: 10.9734/IJECC/2024/v14i23915

### **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/111605>

<sup>++</sup> Assistant Professor;

<sup>#</sup> Research Scholar;

<sup>†</sup> Ph.D Scholar (Fruit Science);

<sup>‡</sup> Ph.D. (Horticulture) Fruit Science;

<sup>^</sup> M.Sc. Scholar;

<sup>\*</sup>Corresponding author: E-mail: Gautam1998dharmendra@gmail.com;

## ABSTRACT

This study investigates the contemporary shift in guava processing paradigms, capitalizing on technological advancements, sustainable practices and value addition. Exploring novel methods, the research aims to revolutionize traditional guava processing by enhancing efficiency, quality and sustainability. Through the integration of cutting-edge techniques, the article envisions a transformative era in guava processing, fostering advancements in production and product utilization. This innovative approach responds to consumer demands for healthier, sustainable choices, promising a future in guava processing that aligns with dynamic global culinary preferences.

*Keywords: Guava; value addition; processing; marketing.*

## 1. INTRODUCTION

In recent years, the world of food processing has witnessed a groundbreaking transformation and one of the most exciting developments is the revolution in guava food processing. This newfound approach brings with it a fresh perspective on how we handle this delicious and nutrient-rich tropical fruit [1].

Guava is a delicious and nutritious fruit that is found in most countries. This fruit thrives well in dry soil. The significance of guava lies in its nutritional properties and its economic importance due to its medicinal uses [2]. Guava fruit is naturally rich in nutrients, including vitamin C, vitamin A, vitamin B, fibre, calcium, potassium and phosphorus [3]. Regular consumption of guava helps keep the body healthy, strengthens the immune system and improves digestion.

The processing and industrial productions of guava products are economically vital for farmers. Cultivating guava can bring good profits to farmers, improving their financial situation [4]. It also provides employment opportunities in rural areas, contributing to economic development. Guava leaves, seeds and peels are utilized to prepare various types of medical treatments [5-7]. In India, guava is cultivated in Uttar Pradesh, Bihar, West Bengal, Chhattisgarh, Maharashtra, Tamil Nadu, Karnataka, Madhya Pradesh, Gujarat and Andhra Pradesh [8]. In the 2019-20 period, the area under guava cultivation was 292 thousand hectares and the production reached 4,361 thousand metric tons. According to the National Horticulture Board, guava cultivation covered an area of 94 thousand hectares in 1991-92, which increased to 155,000 hectares in

2001-02. Meanwhile, production rose from 11 lakh tonnes to 17 lakh tonnes during this period [9]. For the 2022-2023 fiscal year, the estimated guava production in India is 4.92 million metric tonnes, surpassing the previous financial year [10].

### 1.1 As Food

Guava is health-promoting and sweet in taste when used as food. It is utilized in various forms such as fresh fruit, salad, chutneys, jams, jellies, fresh juice, puree and powder, among others. People widely enjoy it due to its believed health benefits [11]. There are around 400 varieties of guava found worldwide [12]. Several countries across the globe cultivate 10 to 12 different varieties of guava. India is the primary producer of guava, producing approximately 2.5 million tons of guavas annually. India contributes 45% of the world's guava production, followed by Indonesia, China and Mexico.

### 1.2 The Global Impact of Guava Production

Guava production is crucial for the global economy. It provides employment to many people and boosts the trade of agricultural products. Its production enhances economic prosperity in both local and international markets [13]. Additionally, its widespread health benefits lead to a broad usage, promoting the wellbeing of people and encouraging the growth of production facilities.

### 1.3 Challenges in Guava Production

Guava production faces several challenges. It is considered a tropical fruit and requires

favourable climatic conditions for optimal productivity. Countries with tropical climates like India witness high guava production, while regions with colder climates experience lower yields. Additionally, in many countries, guava production may be good, but there may be a lack of proper processing facilities for the fruits [14]. In India, the guava processing industry is progressing and developing expertise in manufacturing various guava-related products [15]. Efforts are being made through different industrial initiatives and research to improve the quality of guava products, leading to increased demand and preference in the market [16].

The development of the guava processing industry in India has not only increased production but has also provided employment opportunities to many individuals. The guava processing industry offers job opportunities to people with modest and middle-income levels, thereby improving their financial status [17].

Traditional guava processing methods often involve manual labour, which can be time-consuming, labour-intensive and result in significant wastage. However, with the advent of cutting-edge technologies and innovative techniques, the landscape of guava food processing has changed dramatically.

#### 1.4 Guava Processing Industry in India

According to studies, the global market value of guava puree production was equivalent to 313.8 million rupees in 2017. The expected development rate of this market during the projected period from 2017 to 2025 is estimated to be 5.6:1. In the coming years, there is hope for the guava puree segment to maintain its


prominence in the food industry [18]. The Asia-Pacific region is expected to experience the fastest growth rate from 2020 to 2025.

India is the largest producer and exporter of guava pulp. The market share for pink guava puree is 55.3%, while for white guava puree, it is 40%. The remaining 5% is shared among other variations. Furthermore, the lack of technology for guava processing has hindered the global development of the guava industry [19]. However, in recent years, the advancement of excellent post-harvest techniques has benefited the food and beverage processing industry [20].

#### 1.5 Different Types of Guava Processing in India

White guava and pink guava are the most popular varieties processed in India. Guava processing here refers to the transformation of guava fruit into pulp or mash by removing the seeds and other characteristics. The processed guava is then used in various forms, such as fruit puree, paste, juice, sherbet, jelly, chutney, etc. White guava and pink guava are considered the main types in this industry [21].

The Allahabad Safeda and Sardar (Lucknow-49) varieties are the most extensively cultivated guava types in India and they undergo significant processing. The Safeda guava has a white-colored fruit with a white exterior skin, while the pink guava (Lalit) has a pink or pinkish-red fruit with a pink outer skin [22]. These varieties are preferred in the guava processing industry due to their size and quick ripening, making them popular in the market for their flavor and aroma [23].



**Graph 1. Production of guava**

Source: Food and Agriculture Organization of United Nation (FAO)

India experiences two peak seasons for guava processing. The first season lasts from January to March when the weather is cool and the fruit production is high. The second season lasts from August to December when the weather is warm and the fruit production is relatively low. By maximizing production during both these seasons, guava processing factories in India meet the demand for guava products throughout the year.

Guava processing industry in India is driven by the growing demand from consumers in developed and developing nations due to increased income and urbanization. The industry benefits both producers and consumers. Primary guava processed products include guava puree, pulp and concentrate [24]. These primary processed products serve as a foundation for secondary guava products such as jellies, jams, marmalades, baked goods, sweets, beverages and cosmetic products containing fruit extracts [25].

The processed guava products find extensive use in food powders or squashes for making beverages, confectionery, dairy and bakery products [26]. The industry is witnessing growth due to increased consumption of guava processed products in the confectionery and dairy sectors, as well as the development of the market for bakery fillings, puddings, ice cream mixes and baby fruit meals containing puree [27]. In the beverage industry, guava puree and concentrate are added to the final products to enhance the special flavor and aroma of guava.

Firstly, advanced machinery and automation have taken center stage, streamlining the entire processing chain. Modern sorting machines can efficiently separate ripe guavas from unripe ones, ensuring that only the best fruits move forward in the process [28]. This not only optimizes production but also reduces food waste, making it an eco-friendly approach.

Modern lifestyle, increasing urbanization and rapidly changing eating habits are inspiring consumers to seek fresh and processed food products [29]. Currently, there is a growing demand for processed food products and guava puree plays a significant role in this. Guava puree is primarily used for fruit juice production, as it enhances the taste and quality of the juice more effectively than flavoring agents [30].

Compared to other fruits, guava puree's popularity is rising, especially as a substitute for fresh fruits. The availability of fresh fruits is limited, but by processing guava into puree, its availability can be maintained throughout the year [31]. As a result, products made from guava puree are experiencing market growth and its future demand is also being predicted positively.

Due to this development, there is a plan to focus on developing ready-to-eat food products by guava processing industry producers. This will not only enhance their production but also attract consumers towards these prepared food items [32]. It will also lead to an improvement in the taste of food products and make them more appealing to consumers.

Furthermore, breakthroughs in preservation techniques have significantly extended the shelf life of guava products. Innovations in vacuum packing and controlled atmosphere storage have helped retain the fruit's natural flavors, colors and nutritional value without the need for excessive artificial preservatives [33].

Another vital aspect of this revolution is the focus on value-added products. Guava puree, nectar, juice concentrates and even dried guava snacks have gained popularity in the market. These products cater to diverse consumer preferences and expand the potential of guava as a versatile ingredient in the food and beverage industry.

## 1.6 Guava Pulp Processing Method

Guava fruits are collected from orchards and transferred to ripening chambers. The fruits are naturally ripened. Damaged guava fruits are separated using a conveyor belt for making pulp [34]. To remove dirt, the fruits are washed with chlorinated water. The clean fruits pass through a fruit mill and the collected pulp is stored in a pulp collection tank. The guava pulp is then heated to 65-70 degrees Celsius. The guava pulp is separated from uneven pulp chunks in guava puree using a mesh strainer [35]. To thicken the pulp, a vacuum evaporator chamber is used to remove the water content. Unwanted substances are removed from the pulp using a magnetic sieve, strainer and metal detector [36].

Through the process of irradiation, guava puree is rid of pathogens and other biological particles, ensuring the absence of infections in the pulp [37]. After cooling the puree, it is packed in aseptic bags with a polyliner and placed in membrane dryer drums. The temperature of the product is controlled in the warehouses to ensure

the safe preservation of the puree for an extended period.

**Complete set of Guava Pulp and Juice Production Line:**

1. Washing Machine
2. Sorting Conveyor
3. Pulping Machine
4. Crusher
5. Tubular Pre-heater Pasteurizer
6. Cold/Hot Break System
7. Elevator
8. Vacuum/Continuous/Forced Circulation Evaporator
9. Filling Line:
  - Can Filling Machine
  - Bottle Filling Machine
  - Sachet Filling Machine
  - Aseptic Bag in Drum Filling Machine


**Guava Processed Products:**

1. Guava Juice: Cut and peel guava fruits, extract the juice and mix it with sugar and water. Bottle the juice and store it in a cool place.
2. Guava Puree: Also known as guava pulp, it is a fragrant and thick substance made by processing fresh guava fruits. Guava puree retains the sweetness, taste and nutritional elements of fresh fruits. It is made from carefully selected guava fruits. In India, guava processing is equipped with advanced techniques and reliable production facilities to meet the demand in both domestic and international markets [38]. Fruit juice industry is the primary consumer of guava puree.

3. Guava Marmalade: Peel and deseed guava fruits, cut them into small pieces. Mix them in a pot with sugar, water and lemon juice. When the mixture thickens, allow it to cool and then fill it in bottles.
4. Guava Jam: Peel and deseed guava fruits, finely chop them. Mix them in a pot with sugar, water and lemon juice. When the mixture sets, fill it into jam jars.
5. Guava Chutney: Peel and deseed guava fruits, cut them into small pieces. Blend them in a blender with green chilies, onions, coriander leaves, salt and lemon juice. Bottle the chutney and let it cool.
6. Guava Pickle: Peel and deseed guava fruits, cut them into small pieces. Mix them with salt, red chili powder, turmeric powder, mustard seeds and mustard oil. Bottle the pickle and let it cool.

The above-mentioned instructions can prove helpful for guava processing. Complete the process with cleanliness and hygiene and use clean, dry jars to preserve the products with high quality. It is essential to clean the guavas thoroughly and remove their seeds before further processing [39]. After that, the guavas can be cut into pieces according to the desired size, making the preparation work for processing easier [40].

Guava processing includes various methods such as making guava jam, marmalade, chutney and pickles. These products are made to be enjoyed for an extended period and can be sold in different markets.



**Fig. 1.** shows the flow sheet for the guava processing line (for frozen products, bypass pasteurization and cooling belt). Adapted from Boyle F, Seagrave-Smith H, Sakrata S and Sherman G (1957) Hawaii Agric. Exp. Stn., Bull. 111

## 1.7 Marketing channels for processed guava products, as per processing units, are outlined as follows

### (a) Large scale

(I) Producer → Preharvest contractor → Commission agent → Processing → Unit Commission and Forwarding agent → Wholesaler → Retailer → Consumer. →

(II) Producer → Commission agent → Processing unit → Commission and Forwarding agent → Wholesaler → Retailer → Consumer.

### (b) Small scale

(I) Producer → Pre-harvest contractor → Commission agent → Processing unit → Commission and Forwarding agent → Wholesaler → Retailer → Consumer. →

(II) Producer → Commission agent → Processing unit → Commission and Forwarding agent → Wholesaler → Retailer → Consumer.

### (c) Cottage scale

(I) Producer → Pre-harvest contractor → Commission agent → Processing unit → Commission and Forwarding agent → Consumers.

(II) Producer → Commission agent → Processing unit → Commission and Forwarding agent → Consumer.

**Table 1. Processing of guava by processing units in the growing area**

| S. No. | Category of Processing Unit | Average Capacity of 3 months (Qtl.) | Average Quantity of Guava Processed (Qtl.) | Capacity Utilization (%) |
|--------|-----------------------------|-------------------------------------|--|--------------------------|
| 1      | Cottage Scale               | 51.25                               | 44.45                                      | 86.73                    |
| 2      | Small Scale                 | 150.62                              | 120.33                                     | 79.89                    |
| 3      | Large Scale                 | 2312.82                             | 2131.52                                    | 92.16                    |
| 4      | Aggregate                   | 838.23                              | 765.43                                     | 91.31                    |

Guava processing can lead to the creation of health-enhancing and safe products that can be used in other food products or consumed directly. Processing guava can increase the quantity of fruits and benefit farmers by fetching better prices. However, the guava processing industry in India faces several challenges. One significant challenge is the lack of appropriate technical knowledge and techniques [41,42]. Proper processing techniques ensure the quality of products, but their absence can lead to lower estimated demand for the products, hindering industry growth. There is also a change in the preferences of guava consumers [43]. The market for guava products is becoming highly competitive, necessitating the use of appropriate products and the latest technologies in the industry.

Additionally, sustainability has become a core principle in this new approach to guava food processing. Farmers are now encouraged to adopt eco-friendly cultivation practices, such as organic farming and water-efficient irrigation systems, to promote biodiversity and minimize environmental impact [44].

Moreover, research and development have played a pivotal role in the continuous improvement of guava processing techniques. Scientists and food technologists are working hand in hand to develop innovative methods that enhance the nutritional profile of guava products [45]. This includes fortification with essential vitamins, minerals and antioxidants, further elevating the fruit's health benefits. From a global perspective, this revolution in guava food processing has opened up new market opportunities for countries with favorable

climates for guava cultivation. It has spurred economic growth and provided employment opportunities in regions where guava farming is a prominent livelihood [46].

## 2. CONCLUSION

The development of guava processing industry in India is an important challenge at the global level. The industry needs to enhance its capabilities through appropriate technical knowledge, responding to changes in consumer preferences and improving product quality. Guava processing is not only a viable option for producers but also a suitable option for consumers [47,48]. It is an industry that evolves in tandem with the evolution of food products and changes in consumer habits and has the potential to guide future prosperity and growth. With advancements in technology, sustainability practices and value addition, this approach brings forth a new era of efficiency, quality and innovation in guava management. As consumers are looking for healthier and more sustainable food options, the future of guava processing looks really promising, with abundant potential to meet the ever-evolving culinary preferences of people around the world.

## COMPETING INTERESTS

Author has declared that no competing interests exist.

## REFERENCES

- Ramos Vargas, S, Alfaro Cuevas R, Huirache Acuna R, Cortés Martínez R. Removal of fluoride and arsenate from aqueous solutions by aluminum-modified guava seeds. *Applied Sciences*.2018; 8(10):1807.
- Barbalho SM, Farinazzi-Machado FM, De Alvares Goulart R, Brunnati ACS, Otoboni AM, Ottoboni BJ. *Psidium guajava* (Guava): A plant with multipurpose medicinal applications. *Medicinal and Aromatic Plants*. 2012;1(4):1-6.
- Irshad Z, Hanif MA, Ayub MA, Jilani MI, Tavallali V. Guava. In medicinal plants of South Asia, 1st ed.; Muhammad AH, Haq N, Muhammad MK, Hugh JB, Eds. Elsevier Ltd.: Cambridge, MA, USA. 2020; 341–354.
- Thaipong K, Boonprakob U. Genetic and environmental variance components in guava fruit qualities. *Scientia Horticulture*. 2005;104:37–47.
- Uchoa-thomaz AMA, Sousa EC, Carioca JOB, De Moraes SM, De Lima A, Martins CG, Alexandrino CD, Ferreira PAT, Rodrigues ALM, Rodrigues SP. Chemical composition, fatty acid profile and bioactive compounds of guava seeds (*P. guajava* L.). *Food sci. Technol* .2014;34:485–492.
- Wang L, Wei W, Tian X, Shi K, Wu Z. Improving bioactivities of polyphenol extracts from *P. guajava* L. leaves through co-fermentation of *Monascus anka* GIM 3.592 and *Saccharomyces cerevisiae* GIM 2.139. *Ind. Crops Prod*. 2016;94:206–215.
- Wang L, Luo Y, Wu Y, Wu Z. Impact of fermentation degree on phenolic compositions and bioactivities during the fermentation of guava leaves with *Monascus anka* and *Bacillus* sp. *Journal of Functional Foods*. 2018;41:183–190.
- Kumbhar JS, Pawar PP, Patole SD, Gavali AS. Economics of Production and Marketing of Guava in Maharashtra. *Int. J. Agril. Sci*. 2014;10(2):592-599.
- Anonymous Indian Horticulture Database. National horticulture board, ministry of agriculture and farmer's welfare, Government of India, Gurugram; 2017. Available:<http://www.nhb.gov.in> Accessed on 29 June 2019.
- Kumar R, Kumar N, Dhillon A, Bishnoi DK, Malik AK. Economic Analysis of Guava (*Psidium guajava* L.) in Sonapat District of Haryana. *Economic Affairs*. 2019;64(4): 747-752.
- Verma AK, Rajkumar V, Banerjee R, Biswas S, Das AK. Guava (*P. guajava* L.) powder as an antioxidant dietary fibre in sheep meat nuggets. *Asian Australas. J. Anim. Sci*. 2013;26:886–895.
- Wijeratnam RSW, Herregods M, Nicoli B, Jager AD, Roy SK. Identification of problems in processing underutilized fruits of the tropics and their solutions. *Acta Horticulture*. 2000;518:237-240.
- Fernandez E, Pelea L. Revision bibliografica. Mejoramiento genetico de guayabo (*P. guajava* L.). *Cultiv. Trop*. 2016;36:96–110.
- Dos Santos WNL, Da Silva Sauthier, MC. dos Santos, AMP de Andrade Santana, D Almeida Azevedo RS, Da Cruz Caldas J. Simultaneous determination of 13 phenolic bioactive compounds in guava (*P. guajava* L.) by HPLC-PAD with evaluation using

- PCA and Neural Network Analysis (NNA). *Microchem. J.* 2017;133:583–592.
15. Costa RG, Cavalcanti MC, Nobre DA, Queiroga PT, RD CR DE, Medeiros GRD, Silva NVD, Batista ASM, Araujo Filho JTD. Sensory quality of meat from Santa Ines lambs fed with guava (*Psidium guajava* L.) agroindustrial by-product. *Food Science and Technology.* 2020;40:653–658.
  16. Amutha Gnana Arasi MAS, Gopal Rao M, Bagyalakshmi J. Optimization of microwave-assisted extraction of polysaccharide from *P. guajava* L. fruits. *Int. J. Biol. Macromol.* 2016;91:227–232.
  17. Kapoor S, Gandhi N, Tyagi SK, Kaur A, Mahajan BVC. Extraction and characterization of guava seed oil: A novel industrial byproduct. *LWT Food Science and Technology.* 2020:109882.
  18. Serna-Cock L, Garcia-Gonzales E, Torres-Leon C. Agro-industrial potential of the mango peel based on its nutritional and functional properties. *Food Rev. Int.* 2016;32:364–376.
  19. Naphade SA, Tingre AS. Economics of production and marketing of guava in Buldhana district of Maharashtra. *Indian Journal of Agricultural Marketing.* 2008;22(2):32-41.
  20. Araujo CM, Sampaio KB, Menezes FNDD, Da Almeida ETC, Lima MDS, Viera VB, Garcia EF, Gomez-Zavaglia A, De Souza EL, De Oliveira MEG. Protective effects of tropical fruit processing co-products on probiotic *Lactobacillus* strains during freeze-drying and storage. *Microorganisms.* 2020;8(1):96.
  21. Shiva B, Nagaraja A, Srivastav M, Kumari S, Goswami AK, Singh R, Arun MB. Characterization of guava (*Psidium guajava*) germplasm based on leaf and fruit parameters. *Indian J. Agric. Sci.* 2017;87:634–638.
  22. Wang L, Bei Q, Wu Y, Liao W, Wu Z. Characterization of soluble and insoluble-bound polyphenols from *P. guajava* L. leaves co-fermented with *Monascus anka* and *Bacillus* sp. and their bio-activities. *J. Funct. Foods.* 2017;32:149–159.
  23. Todisco K, Soares N, Barbosa A, Sestari F, Aparecida M. Effects of temperature and pectin edible coatings with guava by-products on the drying kinetics and quality of dried red guava. *Journal of Food Science and Technology.* 2018;55:4735–4746.
  24. Lima RS, Ferreira SRS, Vitali L, Block JM. May the superfruit red guava and its processing waste be a potential ingredient in functional foods. *Food Research International.* 2018;115:451–459.
  25. Omitoyin BO, Ajani EK, Orisasona O, Bassey HE, Kareem KO, Osho FE. Effect of guava (*Psidium guajava* (L.)) aqueous extract diet on growth performance, intestinal morphology, immune response, and survival of *Oreochromis niloticus* challenged with *Aeromonas hydrophila*. *Aquaculture Research.* 2019;50(7):1851–1861.
  26. Chen HY, Yen GC. Antioxidant activity and free radical-scavenging capacity of extracts from guava (*P. guajava* L.) leaves. *Food Chem.* 2007;101:686–694.
  27. Nobre PT, Munekata PES, Costa RG, Carvalho FR, Ribeiro NL, Queiroga RCRE, Sousa S, Da Silva ACR, Lorenzo JM. The impact of dietary supplementation with guava (*P. guajava* L.) agro-industrial waste on growth performance and meat quality of lambs. *Meat Sci.*, 2020;164:108105.
  28. Khaleel S, Kumari S. *In vitro* antidiabetic activity of *P. guajava* leaves extracts. *Asian Pacific J. Trop. Dis.* 2012;2:s98–s100.
  29. Ciudad M, Fernandez V, Matallana MC, Morales P. Dietary fiber sources and human benefits: The case study of cereal and pseudocereals. *Advances in Food and Nutrition Research.* 2019;90: 83–134.
  30. Perez RM, Mitchell S, Vargas R. *Psidium guajava*: A review of its traditional uses, phytochemistry, and pharmacology. *Journal of Ethnopharmacology.* 2008; 117:1–27.
  31. Iha OK, Martins GBC, Ehlert E, Montenegro MA, Sucupira RR, Suarez PAZ. Extraction and characterization of passion fruit and guava oils from industrial residual seeds and their application as biofuels. *Journal of the Brazilian Chemical Society.* 2018;29(10):2089–2095.
  32. Laily N, Kusumaningtyas RW, Sukarti I, Rini MRDK. The Potency of Guava *P. guajava* (L.) Leaves as a Functional Immunostimulatory Ingredient. *Procedia Chem.* 2015;14:301–307.
  33. Luo Y, Peng B, Wei W, Tian X, Wu Z. Antioxidant and anti-diabetic activities of polysaccharides from guava leaves. *Molecules.* 2019;24(7):1343.
  34. Dos Santos Pereira E, Vinholes J, Franzon RC, Dalmazo G, Vizzotto M, Nora L.

- Psidium cattleianum* fruits: A review on its composition and bioactivity. Food Chem. 2018;258:95–103.
35. Fitri RA, Wirakusuma A, Fahrina A, Roil Bilad M, Arahman N. Adsorption performance of low-cost Java plum leaves and guava fruits as natural adsorbents for the removal of free fatty acids from coconut oil. International Journal of Engineering Transactions A: Basics. 2019;32(10):1372–1378.
  36. Serna-Cock L, Mera-Ayala JD, Angulo-Lopez JE, Lucia GSA. (*P. guajava* L.) Seed flour and dry mycelium of *Aspergillus niger* as nitrogen sources. Dyna. 2013;80:113–121.
  37. Castro-Vargas HI, Rodríguez-Varela LI, Ferreira SRS, Parada-Alfonso F. Extraction of phenolic fraction from guava seeds (*P. guajava* L.) using supercritical carbon dioxide and co-solvents. J. Supercrit. Fluids. 2010;51:319–324.
  38. Martinez R, Torres P, Meneses MA, Figueroa JG, Pérez-Alvarez JA, Viuda-Martos M. Chemical, technological, and in vitro antioxidant properties of mango, guava, pineapple, and passion fruit dietary fiber concentrate. Food Chem. 2012;135:1520–1526.
  39. Narvaez-Cuenca C, Inampues-Charfuelan M. The phenolic compounds, tocopherols, and phytosterols in the edible oil of guava (*Psidium guajava*) seeds obtained by supercritical CO<sub>2</sub> extraction. Journal of Food Composition and Analysis. 2020;89:103467.
  40. Rojas-Garbanzo C, Rodríguez L, Perez AM, Mayorga-Gross AL, Vásquez-Chaves V, Fuentes E, Palomo I. Anti-platelet activity and chemical characterization by UPLC-DAD-ESI-QTOF-MS of the main polyphenols in extracts from *Psidium* leaves and fruits. Food Res. Int. 2021;141.
  41. Liu CW, Wang YC, Lu HC, Chiang WD. Optimization of ultrasound-assisted extraction conditions for total phenols with anti-hyperglycemic activity from *P. guajava* leaves. Process Biochem. 2014;49:1601–1605.
  42. Diaz-de-Cerio E, Gomez-Caravaca AM, Verardo V, Fernandez-Gutierrez A, Segura-Carretero A. Determination of guava (*P. guajava* L.) leaf phenolic compounds using HPLC-DAD-QTOF-MS. J. Funct. Foods. 2016;22:376–388.
  43. Liu CW, Wang YC, Hsieh CC, Lu HC, Chiang WD. Guava (*P. guajava* Linn.) leaf extract promotes glucose uptake and glycogen accumulation by modulating the insulin signaling pathway in high-glucose-induced insulin-resistant mouse FL83B cells. Process Biochem. 2015;50:1128–1135.
  44. Diaz-de-Cerio E, Verardo V, Gomez-Caravaca A, Fernandez-Gutierrez A, Segura-Carretero A. HPLC-qTOF-MS platform as a valuable tool for the exploratory characterization of phenolic compounds in guava leaves at different oxidation states. Mol2Net. 2015;1:1–8.
  45. Pelegrini PB, Franco OL. Antibacterial glycine-rich peptide from Guava (*P. guajava* L.) seeds. In nuts and seeds in health and disease prevention; Academic press: Cambridge, MA, USA.2011;577–584.
  46. Flores G, Wu SB, Negrin A, Kennelly EJ. Chemical composition and antioxidant activity of seven cultivars of guava (*Psidium guajava*) fruits. Food Chem. 2015;170:327–335.
  47. McCook-Russell KP, Nair MG, Facey PC, Bowen-Forbes CS. Nutritional and nutraceutical comparison of Jamaican *Psidium cattleianum* (strawberry guava) and *P. guajava* (common guava) fruits. Food Chem.2012;134:1069–1073.
  48. Diaz-de-Cerio E, Pasini F, Verardo V, Fernández-Gutierrez A, Segura-Carretero A, Caboni MF. *P. guajava* L. leaves as source of proanthocyanidins: Optimization of the extraction method by RSM and study of the degree of polymerization by NP-HPLC-FLD-ESI-MS. J. Pharm. Biomed. Anal. 2017;133:1–7.

© 2024 Vikram et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:  
<https://www.sdiarticle5.com/review-history/111605>